

Data Table	-
Location	Rate (Click for Ranki
Alabama 🗹	10.8

	10.0
O Alaska ☑	6.6
O Arizona ☑	7.4
<u>Arkansas</u> [™]	9.6
○ <u>California</u> ^I	6.9
Colorado C	9.3
─ <u>Connecticut</u> I ²	7.8
● <u>Delaware</u> [∠]	8.9
● Florida ^I	8.7
● <u>Georgia</u> ^[2]	9.9
Hawaii [™]	8.1

Location	Rate (Click for Ranki
O Idaho ☑	6.9
	8.3
	8.1
	6.9
Kansas 🗹	7.2
Kentucky 🗹	8.5
Louisiana ²	10.9
Maine ☑	7.5
Maryland [™]	8.5
<u>Massachusetts</u> ☑	7.4
Michigan ☑	8.9
Minnesota ☑	6.7
● <u>Mississippi</u> ^[2]	11.8
Missouri 🗹	8.7
<u> Montana</u> [™]	7.7
Nebraska 🗹	7.4
Nevada 🗹	9
<u>New Hampshire</u> ∠	6.8
New Jersey ☑	7.7
New Mexico	8.9
New York	8.2
● North Carolina 忆	9.5
Onth Dakota ☑	6.9
Ohio 🗹	8.5
Oklahoma 🗹	8.4
<u>Oregon</u> ∠	6.5
Pennsylvania 🗹	8.3
<u> Rhode Island</u>	7.7
South Carolina	9.8
O South Dakota ☑	6.9
<u>Tennessee</u> 12	8.9
<u>Texas</u> Z	8.2
Utah 🗹	7
O Vermont I [™]	7
O Virginia ☑	8.3
O Washington ☑	6.7
● <u>West Virginia</u> ^I	9.3
<u> Wisconsin</u>	7.7
● <u>Wyoming</u> ^I	9.7

Download Data (CSV)

¹ Babies born weighing less than 2,500 grams or 5 lbs. 8oz.

~

Differences by state do not take into account other state specific population characteristics that may affect the level of the birth characteristic. When the number of events is small, differences by state may be unreliable due to instability in rates.

Page last reviewed: February 25, 2022